

# History Tracking Report: 2009 to 2008 Requirements

## Accreditation Program: Home Care Chapter: National Patient Safety Goals

### NPSG.01.01.01

**2009 Requirement Text:**

Use at least two [patient] identifiers when providing care, treatment, or services.

### Requirement 1A

**2008 Requirement Text:**

Use at least two {jc}patient{/1} identifiers when providing care, treatment or services.

### NPSG.01.01.01

**2009 EP: 2**

**2009 EP Text:**

Two patient identifiers are used when administering medications, blood, or blood components.

### Requirement 1A

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. Two {jc}patient{/1} identifiers are used when administering medications or blood products.

### NPSG.01.01.01

**2009 EP: 3**

**2009 EP Text:**

Two patient identifiers are used when collecting blood samples and other specimens for clinical testing.

### Requirement 1A

**2008 EP: 2**

**2008 EP Text:**

**Revision Code:** Retain

2. Two {jc}patient{/1} identifiers are used when collecting blood samples and other specimens for clinical testing.

### NPSG.01.01.01

**2009 EP: 4**

**2009 EP Text:**

Two patient identifiers are used when providing other treatments or procedures.

### Requirement 1A

**2008 EP: 3**

**2008 EP Text:**

**Revision Code:** Retain

3. Two {jc}patient{/1} identifiers are used when providing other treatments or procedures.

### NPSG.01.01.01

**2009 EP: 6**

**2009 EP Text:**

Containers used for blood and other specimens are labeled in the presence of the patient.

### Requirement 1A

**2008 EP: 5**

**2008 EP Text:**

**Revision Code:** Retain

5. Containers used for blood and other specimens are labeled in the presence of the {jc}patient{/1}.

**NPSG.01.02.01**

**2009 Requirement Text:**

Prior to the start of any surgical or invasive procedure, individuals involved in the procedure conduct a final verification process, such as a time-out, to confirm the correct [patient], procedure, and site using active, not passive, communication techniques.

**Requirement 1B**

**2008 Requirement Text:**

Prior to the start of any surgical or invasive procedure, conduct a final verification process, (such as a "time out,") to confirm the correct {jc}patient{/1}, procedure and site, using active—not passive—communication techniques.

**NPSG.01.02.01**

**2009 EP: 1**

**2009 EP Text:**

The final verification process is conducted in the location where the procedure will be done, immediately prior to starting the surgical or invasive procedure.

**Requirement 1B**

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. The final verification process must be conducted in the location where the procedure will be done, just before starting the procedure.

**NPSG.01.02.01**

**2009 EP: 2**

**2009 EP Text:**

The final verification process involves the entire team, uses active communication, and includes the following:

- Correct patient identity.
- Correct side and site.
- Agreement on the procedure to be done.
- Correct patient position.
- Availability of correct implants and any special equipment or special requirements.

**Requirement 1B**

**2008 EP: 2**

**2008 EP Text:**

**Revision Code:** Retain

2. The process must involve the entire team, use active communication, and must, at least, include the following: Correct {jc}patient{/1} identity Correct side and site site Agreement on the procedure to be done Correct {jc}patient{/1} position Availability of correct implants and any special equipment or special requirements

**NPSG.01.02.01**

**2009 EP: 3**

**2009 EP Text:**

The process is briefly documented using a method such as a checklist.  
 Note: The organization determines the type and amount of documentation.

**Requirement 1B**

**2008 EP: 3**

**2008 EP Text:**

**Revision Code:** Retain

3. The process is briefly documented, such as in a checklist (Note: The organizations should determine the type and amount of documentation).

**NPSG.02.01.01**

**2009 Requirement Text:**

For verbal or telephone orders or for telephone reporting of critical test results, the individual giving the order or test result verifies the complete order or test result by having the person receiving the information record and "read-back" the complete order or test result.

**Requirement 2A**

**2008 Requirement Text:**

For verbal or telephone orders or for telephonic reporting of critical test results, verify the complete order or test result by having the person receiving the information record and "read-back" the complete order or test result.

**NPSG.02.01.01**

**2009 EP: 1**

**2009 EP Text:**

The individual receiving the information writes down the complete order or test result or enters it into a computer. (See also RC.02.03 07, EP 5)

**Requirement 2A**

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. The receiver of the information writes down the complete order or test result or enters it into a computer.

**NPSG.02.01.01**

**2009 EP: 2**

**2009 EP Text:**

The individual receiving the information reads back the complete order or test result.

**Requirement 2A**

**2008 EP: 2**

**2008 EP Text:**

**Revision Code:** Retain

2. The receiver of the information reads back the order or test result.

**NPSG.02.01.01**

**2009 EP: 3**

**2009 EP Text:**

The individual who gave the order or test result confirms the information that was read back.

**Requirement 2A**

**2008 EP: 3**

**2008 EP Text:**

**Revision Code:** Retain

3. The receiver of the information receives confirmation from the individual who gave the order or test result.

**NPSG.02.02.01****2009 Requirement Text:**

There is a standardized list of abbreviations, acronyms, symbols, and dose designations that are not to be used throughout the [organization].

**NPSG.02.02.01****2009 EP: 1****2009 EP Text:**

The organization develops a standardized list of abbreviations, acronyms, symbols, and dose designations that are not to be used throughout the organization.

**NPSG.02.02.01****2009 EP: 2****2009 EP Text:**

The current list of abbreviations, acronyms, symbols, and dose designations not to be used includes the following:

- U,u
- IU
- Q.D., QD, q.d., qd
- Q.O.D., QOD, q.o.d, qod
- Trailing zero (X.0 mg)
- Lack of leading zero (.X mg)
- MS
- MSO4
- MgSO4

Note: A trailing zero may be used only when required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report the size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.

**NPSG.02.02.01****2009 EP: 3****2009 EP Text:**

The organization implements the “do not use” list of abbreviations, acronyms, symbols, and dose designations and applies it to all orders and all medication-related documentation that is handwritten or entered as free text into a computer.

**Requirement 2B****2008 Requirement Text:**

Standardize a list of abbreviations, acronyms, symbols, and dose designations that are not to be used throughout the organization.

**Requirement 2B****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1. The organization develops a standardized a list of abbreviations, acronyms, symbols, and dose designations that are not to be used throughout the organization.

**Requirement 2B****2008 EP: 2****2008 EP Text:****Revision Code:** Retain

2. The list of abbreviations not to be used includes the following: U,uIU Q.D., QD, q.d., qd Q.O.D., QOD, q.o.d, qod Trailing zero (X.0 mg)\*Lack of leading zero (.X mg)MSMSO4MgSO4\* Exception: A “trailing zero” may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.

**Requirement 2B****2008 EP: 3****2008 EP Text:****Revision Code:** Retain

3. The organization implements the “do not use” list and applies this list to all orders and all medication-related documentation when handwritten or entered as free text into a computer.

**NPSG.02.02.01****2009 EP: 4****Requirement 2B****2008 EP: 4****2009 EP Text:**

The organization does not include any abbreviations, acronyms, symbols, and dose designations identified as not to be used on preprinted forms.

**2008 EP Text:**

4. Preprinted forms do not include any abbreviations identified as not to be used.

**Revision Code: Retain**

**NPSG.02.03.01****2009 Requirement Text:**

The [organization] measures, assesses, and, if needed, takes action to improve the timeliness of reporting, and the timeliness of receipt of critical tests and critical results and values by the responsible licensed caregiver.

**Requirement 2C****2008 Requirement Text:**

Measure, assess, and if appropriate, take action to improve the timeliness of reporting, and the timeliness of receipt by the responsible licensed caregiver, of critical tests and critical results and values.

**NPSG.02.03.01****2009 EP: 1****2009 EP Text:**

The organization defines critical tests and critical results and values.

**Requirement 2C****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1.The organization defines critical tests and critical results and values.

**NPSG.02.03.01****2009 EP: 2****2009 EP Text:**

The organization defines the acceptable length of time between the ordering of critical tests and reporting the results of these tests, whether normal or abnormal.

**Requirement 2C****2008 EP: 2****2008 EP Text:****Revision Code:** Split

2. The organization defines the acceptable length of time between the ordering of critical tests and reporting the critical tests and critical results and values.

**NPSG.02.03.01****2009 EP: 3****2009 EP Text:**

The organization defines the acceptable length of time for reporting the results of routine tests with critical abnormal values or findings.

**Requirement 2C****2008 EP: 2****2008 EP Text:****Revision Code:** Split

2. The organization defines the acceptable length of time between the ordering of critical tests and reporting the critical tests and critical results and values.

**NPSG.02.03.01****2009 EP: 4****2009 EP Text:**

The organization defines the acceptable length of time between the availability of critical tests and critical results and values and receipt by the responsible licensed caregiver.

**Requirement 2C****2008 EP: 3****2008 EP Text:****Revision Code:** Retain

3. The organization defines the acceptable length of time between the availability of critical tests and critical results and values and receipt by the responsible licensed care giver.

**NPSG.02.03.01****2009 EP: 5****2009 EP Text:**

The organization collects data on the timeliness of reporting critical test results and critical results and values from routine tests.

**Requirement 2C****2008 EP: 4****2008 EP Text:****Revision Code:** Retain

4. The organization collects data on the timeliness of reporting critical tests and critical results and values.

**NPSG.02.03.01****2009 EP: 6****2009 EP Text:**

The organization assesses the data on the timeliness of reporting critical test results and critical results and values from routine tests and determines whether a need for improvement exists.

**Requirement 2C****2008 EP: 5****2008 EP Text:****Revision Code:** Retain

5. The organization assesses the data and determines whether there is a need for improvement.

**NPSG.02.03.01****2009 EP: 7****2009 EP Text:**

The organization takes appropriate action to improve the timeliness of reporting critical test results and critical results and values from routine tests and measures the effectiveness of those actions.

**Requirement 2C****2008 EP: 6****2008 EP Text:****Revision Code:** Retain

6. The organization takes appropriate action to improve and measure the effectiveness of those actions.

**NPSG.02.05.01****2009 Requirement Text:**

The [organization] implements a standardized approach to hand-off communications, including an opportunity to ask and respond to questions.

**Requirement 2E****2008 Requirement Text:**

Implement a standardized approach to “hand-off” communications, including an opportunity to ask and respond to questions.

**NPSG.02.05.01****2009 EP: 1****2009 EP Text:**

The organization’s process for effective hand-off communication includes the following: Interactive communications that allows for the opportunity for questioning between the giver and receiver of patient information.

**Requirement 2E****2008 EP: 1****2008 EP Text:****Revision Code: Retain**

1. The organization’s process for effective “hand off” communication includes: Interactive communications allowing for the opportunity for questioning between the giver and receiver of {jc}patient{/1} information.

**NPSG.02.05.01****2009 EP: 2****2009 EP Text:**

The organization’s process for effective hand-off communication includes the following: Up-to-date information regarding the patient’s condition, care, treatment, medications, services, and any recent or anticipated changes. (See also NPSG.08.01.01, EP 4)

**Requirement 2E****2008 EP: 2****2008 EP Text:****Revision Code: Retain**

2. The organization’s process for effective “hand off” communication includes: Up-to-date information regarding the {jc}patient’s{/9} care, treatment and services, condition and any recent or anticipated changes.

**NPSG.02.05.01****2009 EP: 3****2009 EP Text:**

The organization’s process for effective hand-off communication includes the following: A method to verify the received information, including repeat-back or read-back techniques.

**Requirement 2E****2008 EP: 3****2008 EP Text:****Revision Code: Retain**

3. The organization’s process for effective “hand off” communication includes: A process for verification of the received information, including repeat-back or read-back, as appropriate.

**NPSG.02.05.01****2009 EP: 4****2009 EP Text:**

The organization’s process for effective hand-off communication includes the following: An opportunity for the receiver of the hand-off information to review relevant patient historical data, which may include previous care, treatment, or services.

**Requirement 2E****2008 EP: 4****2008 EP Text:****Revision Code: Retain**

4. The organization’s process for effective “hand off” communication includes: An opportunity for the receiver of the hand off information to review relevant {jc}patient{/1} historical data, which may include previous care, treatment and services.

**NPSG.02.05.01****2009 EP: 5****2009 EP Text:**

Interruptions during hand-offs are limited to minimize the possibility that information fails to be conveyed or is forgotten.

**Requirement 2E****2008 EP: 5****2008 EP Text:****Revision Code: Retain**

5. Interruptions during hand offs are limited to minimize the possibility that information would fail to be conveyed or would be forgotten.

**NPSG.03.03.01****2009 Requirement Text:**

The [organization] identifies and, at a minimum, annually reviews a list of look-alike/sound-alike medications used by the [organization] and takes action to prevent errors involving the interchange of these medications.

**NPSG.03.03.01****2009 EP: 1****2009 EP Text:**

The organization identifies a list of look-alike/sound-alike medications used by the organization. The list includes a minimum of 10 look-alike/sound-alike medication combinations selected from the tables of look-alike/sound-alike medications posted on The Joint Commission Web site at <http://www.jointcommission.org>.

**NPSG.03.03.01****2009 EP: 2****2009 EP Text:**

The organization reviews the list of look-alike/sound-alike medications at least annually.

**NPSG.03.03.01****2009 EP: 3****2009 EP Text:**

The organization takes action to prevent errors involving the interchange of the medications on the list of look-alike/sound-alike medication list.

**Requirement 3C****2008 Requirement Text:**

Identify and, at a minimum, annually review a list of look-alike/sound-alike drugs used by the organization, and take action to prevent errors involving the interchange of these drugs.

**Requirement 3C****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1. Identify a list of look-alike/sound-alike (LASA) drugs used by the organization (the list must include a minimum of 10 look-alike/sound-alike drug combinations selected from the tables of LASA drugs posted on the Joint Commission website).

**Requirement 3C****2008 EP: 2****2008 EP Text:****Revision Code:** Retain

2. Review the list of look-alike/sound-alike drugs used by the organization at least annually.

**Requirement 3C****2008 EP: 3****2008 EP Text:****Revision Code:** Retain

3. The organization takes action to prevent errors involving the interchange of these drugs.

**NPSG.03.05.01**

**2009 Requirement Text:**

Reduce the likelihood of [patient] harm associated with the use of anticoagulation therapy.

Note: This requirement applies only to [organization]s that provide anticoagulation therapy and/or long-term anticoagulation prophylaxis (for example, atrial fibrillation) where the clinical expectation is that the [patient]'s laboratory values for coagulation will remain outside normal values. This requirement does not apply to routine situations where short-term prophylactic anticoagulation is used for venous thrombo-embolism prevention (for example, related to procedures or hospitalization) and the clinical expectation is that the [patient]'s laboratory values for coagulation will remain within, or close to, normal values.

**Requirement 3E**

**2008 Requirement Text:**

Reduce the likelihood of patient harm associated with the use of anticoagulation therapy. Note: This requirement applies only to organizations that provide anticoagulation therapy.

**NPSG.03.05.01**

**2009 EP: 1**

**2009 EP Text:**

The organization implements a defined anticoagulation management program to individualize the care provided to each patient receiving anticoagulant therapy.

**Requirement 3E**

**2008 EP: 5**

**2008 EP Text:**

**Revision Code: Retain**

5. The organization implements a defined anticoagulant management program to individualize the care provided to each patient receiving anticoagulant therapy.

**NPSG.03.05.01**

**2009 EP: 2**

**2009 EP Text:**

To reduce compounding and labeling errors, the organization uses only oral unit dose products, pre-filled syringes, or pre-mixed infusion bags when these types of products are available.

Note: For pediatric patients, pre-loaded syringe products should only be used if specifically designed for children.

**Requirement 3E**

**2008 EP: 6**

**2008 EP Text:**

**Revision Code: Retain**

6. To reduce compounding and labeling errors, the organization uses ONLY oral unit dose products and pre-mixed infusions, when these products are available.

**NPSG.03.05.01**

**2009 EP: 8**

**2009 EP Text:**

The organization provides education regarding anticoagulation therapy to prescribers, staff, patients, and families.

Note: Patient/family education includes the importance of follow-up monitoring, compliance issues, dietary restrictions, and potential for adverse drug reactions and interactions.

**Requirement 3E**

**2008 EP: 13**

**2008 EP Text:**

**Revision Code: Retain**

13. The organization provides education regarding anticoagulation therapy to staff, patients, and families.

**NPSG.03.05.01****2009 EP: 9****2009 EP Text:**

The organization evaluates its anticoagulation safety practices, takes appropriate action to improve its practices, and measures the effectiveness of those actions on a regular basis.

**Requirement 3E****2008 EP: 15****2008 EP Text:****Revision Code:** Retain

15. The organization evaluates anticoagulation safety practices (see MM.8.10).

**NPSG.07.01.01**

**2009 Requirement Text:**

Comply with current World Health Organization (WHO) hand hygiene guidelines or Centers for Disease Control and Prevention (CDC) hand hygiene guidelines.

**Requirement 7A**

**2008 Requirement Text:**

Comply with current World Health Organization (WHO) Hand Hygiene Guidelines or Centers for Disease Control and Prevention (CDC) hand hygiene guidelines.

**NPSG.07.01.01**

**2009 EP: 1**

**2009 EP Text:**

The organization complies with current World Health Organization (WHO) or Centers for Disease Control and Prevention (CDC) hand hygiene guidelines.  
 Note: Organizations are required to comply with 1A, 1B, 1C of the WHO or CDC guidelines.

**Requirement 7A**

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. Comply with current WHO Hand Hygiene Guidelines or Centers for Disease Control and Prevention (CDC) hand hygiene guidelines\* \*Organizations are required to comply with all 1A, 1B, 1C CDC or WHO guidelines.

**NPSG.07.02.01**

**2009 Requirement Text:**

Manage as sentinel events all identified cases of unanticipated death or major permanent loss of function related to a health care associated infection.

**Requirement 7B**

**2008 Requirement Text:**

Manage as sentinel events all identified cases of unanticipated death or major permanent loss of function associated with a health care-associated infection.

**NPSG.07.02.01**

**2009 EP: 1**

**2009 EP Text:**

The organization manages all identified cases of unanticipated death or major permanent loss of function associated with a health care associated infection as sentinel events (that is, the organization conducts a root cause analysis).

**Requirement 7B**

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. The organization manages all identified cases of unanticipated death or major permanent loss of function associated with a health care-associated infection as sentinel events (that is, conducts a root cause analysis).

**NPSG.07.02.01**

**2009 EP: 2**

**2009 EP Text:**

The root cause analysis addresses the management of the patient before and after the identification of infection.

**Requirement 7B**

**2008 EP: 2**

**2008 EP Text:**

**Revision Code:** Retain

2. The root cause analysis addresses the management of the {jc}patient{/1} before and after the identification of infection.

**NPSG.08.01.01****2009 Requirement Text:**

A process exists for comparing the [patient]'s current medications with those ordered for the [patient] while under the care of the [organization].

**NPSG.08.01.01****2009 EP: 1****2009 EP Text:**

At the time the patient enters the organization or is admitted, a complete list of the medications the patient is taking at home (including dose, route, and frequency) is created and documented. The patient, and family as needed, are involved in creating this list.

**NPSG.08.01.01****2009 EP: 2****2009 EP Text:**

The medications ordered for the patient while under the care of the organization are compared to those on the list created at the time of entry to the organization or admission.

**Requirement 8A****2008 Requirement Text:**

There is a process for comparing the {jc}patient's{/9} current medications with those ordered for the {jc}patient{/1} while under the care of the organization.

**Requirement 8A****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1. The organization, with the {jc}patient's{/9} involvement, creates a complete list of the {jc}patient's{/9} current medications at admission/entry.

**Requirement 8A****2008 EP: 2****2008 EP Text:****Revision Code:** Retain

2. The medications ordered for, administered to, or dispensed to the {jc}patient{/1} while under the care of the organization are compared to those on the list and any discrepancies (e.g., omissions, duplications, potential interactions) are resolved.

**NPSG.08.02.01****2009 Requirement Text:**

When a [patient] is referred to or transferred from one [organization] to another, the complete and reconciled list of medications is communicated to the next provider of service and the communication is documented. Alternatively, when a [patient] leaves the [organization]'s care directly to his or her home, the complete and reconciled list of medications is provided to the [patient]'s known primary care provider, or the original referring provider, or a known next provider of service.

Note: When the next provider of service is unknown or when no known formal relationship is planned with a next provider, giving the [patient], and family as needed, the list of reconciled medications is sufficient.

**Requirement 8B****2008 Requirement Text:**

A complete list of the {jc}patient's{/9} medications is communicated to the next provider of service when a {jc}patient{/1} is referred or transferred to another setting, service, practitioner or level of care within or outside the organization. The complete list of medications is also provided to the patient on discharge from the facility.

**NPSG.08.02.01****2009 EP: 1****2009 EP Text:**

The patient's most current reconciled medication list is communicated to the next provider of service, either within or outside the organization. The communication between providers is documented.

**Requirement 8B****2008 EP: 1****2008 EP Text:****Revision Code: Retain**

1. The {jc}patient{/1}'s accurate medication reconciliation list (complete with medications prescribed by the first provider of service) is communicated to the next provider of service, whether it be within or outside the organization

**NPSG.09.02.01****2009 Requirement Text:**

The [organization] implements a fall reduction program that includes an evaluation of the effectiveness of the program.

**Requirement 9B****2008 Requirement Text:**

Implement a fall reduction program including an evaluation of the effectiveness of the program.

**NPSG.09.02.01****2009 EP: 1****2009 EP Text:**

The organization establishes a fall reduction program.

**Requirement 9B****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1. The organization establishes a fall reduction program.

**NPSG.09.02.01****2009 EP: 2****2009 EP Text:**

The fall reduction program includes an evaluation appropriate to the patient population, settings, and services provided.

**Requirement 9B****2008 EP: 2****2008 EP Text:****Revision Code:** Retain

2. The fall reduction program includes an evaluation as appropriate to the {jc}patient{/1} population, settings and services provided.

**NPSG.09.02.01****2009 EP: 3****2009 EP Text:**

The fall reduction program includes interventions to reduce the patient's fall risk factors.

**Requirement 9B****2008 EP: 3****2008 EP Text:****Revision Code:** Retain

3. The fall reduction program includes interventions to reduce the {jc}patient{/1}'s fall risk factors.

**NPSG.09.02.01****2009 EP: 4****2009 EP Text:**

Staff receive education and training for the fall reduction program.

**Requirement 9B****2008 EP: 4****2008 EP Text:****Revision Code:** Retain

4. Staff receive education and training for the fall reduction program

**NPSG.09.02.01****2009 EP: 5****2009 EP Text:**

The organization educates the patient, and their family as needed, on the fall reduction program and any individualized fall reduction strategies.

**Requirement 9B****2008 EP: 5****2008 EP Text:****Revision Code:** Retain

5. The {jc}patient{/1} and {jc}patient{/1}'s family is educated on the fall reduction program and any individualized fall reduction strategies.

**NPSG.09.02.01****2009 EP: 6****2009 EP Text:**

The organization evaluates the fall reduction program to determine the effectiveness of the program.

Note: Outcome indicators such as decreased number of falls and decreased number and severity of fall-related injuries could be used.

**Requirement 9B****2008 EP: 6****2008 EP Text:****Revision Code:** Retain

6. The fall reduction program is evaluated to determine the effectiveness of the program. (Outcome indicators such as decreased number of falls and decreased number and severity of fall-related injuries could be used.)

**NPSG.13.01.01**

**2009 Requirement Text:**

Identify the ways in which the [patient] and his or her family can report concerns about safety and encourage them to do so.

**Requirement 13A**

**2008 Requirement Text:**

Define and communicate the means for {jc}patients{/6} and their families to report concerns about safety and encourage them to do so.

**NPSG.13.01.01**

**2009 EP: 1**

**2009 EP Text:**

The patient and family are educated on available reporting methods for concerns related to care, treatment, services and patient safety issues.

**Requirement 13A**

**2008 EP: 1**

**2008 EP Text:**

**Revision Code:** Retain

1. {jc}Patients{/6} and families are educated on methods available to report concerns related to care, treatment, services and {jc}patient{/1} safety issues.

**NPSG.13.01.01**

**2009 EP: 4**

**2009 EP Text:**

The organization encourages patients and their families to report concerns about safety.

**Requirement 13A**

**2008 EP: 2**

**2008 EP Text:**

**Revision Code:** Retain

2. The organization encourages {jc}patient{/1}s and their families to report concerns about safety.

**NPSG.15.02.01****2009 Requirement Text:**

The [organization] identifies risks associated with home oxygen therapy such as home fires.

**Requirement 15B****2008 Requirement Text:**

The organization identifies risks associated with long-term oxygen therapy such as home fires.

**NPSG.15.02.01****2009 EP: 1****2009 EP Text:**

The home safety risk assessment includes the presence or absence and working order of smoke detectors, fire extinguishers and fire safety plans, and a review of all medical equipment.

**Requirement 15B****2008 EP: 1****2008 EP Text:****Revision Code:** Retain

1. The home safety risk assessment includes presence or absence and working order of smoke detectors, fire extinguishers and fire safety plans, and review of all medical equipment.

**NPSG.15.02.01****2009 EP: 2****2009 EP Text:**

The organization provides education to the patient and family regarding the findings of the home safety risk assessment, possible interventions, causes of fire, and fire prevention activities.

**Requirement 15B****2008 EP: 2****2008 EP Text:****Revision Code:** Retain

2. The organization provides education to the {jc}patient{/1} and family regarding causes of fire and fire prevention activities.

**NPSG.15.02.01****2009 EP: 3****2009 EP Text:**

The organization assesses the patient's level of comprehension of and compliance with fire prevention activities and reports any concerns to the patient's physician.

**Requirement 15B****2008 EP: 3****2008 EP Text:****Revision Code:** Retain

3. The organization assesses the {jc}patient{/1}'s level of comprehension and compliance and reports any concerns to the {jc}patient{/1}'s physician.