

Prepublication Requirements

• Issued June 16, 2021 •



Updated Data Registry Requirements

The Joint Commission has approved the following revisions for prepublication. While revised requirements are published in the semiannual updates to the print manuals (as well as in the online *E-dition*®), accredited organizations and paid subscribers can also view them in the monthly periodical *The Joint Commission Perspectives*®. To begin your subscription, call 800-746-6578 or visit <http://www.jcrinc.com>.

Please note: Where applicable, this report shows current standards and EPs first, with deleted language struck-through. Then, the revised requirement follows in bold text, with new language underlined.

APPLICABLE TO THE VENTRICULAR ASSIST DEVICE ADVANCED CERTIFICATION

Effective January 1, 2022

Performance Measurement (DSPM) Chapter

DSPM.3

The program collects measurement data to evaluate processes and outcomes.

Note: Measurement data must be internally trended over time and may be compared to an external data source for comparative purposes.

Element(s) of Performance for DSPM.3

2. The program collects data related to processes and/or outcomes of care.

--	--

Requirements Specific to Ventricular Assist Device ~~Destination Therapy~~

a. The program monitors at least the following data:

- Survival rate (all cause mortality)
- Functional capacity

~~—Any result provided by the national registry~~

b. The program evaluates VAD patients' perceptions of their quality of life at the following intervals: pre-implant and post-implant, at 3 months, at 6 months, then every 6 months for 2 years, and then annually.

Requirements Specific to Ventricular Assist Device

a. The program monitors at least the following data:

- Survival rate (all cause mortality)

- Functional capacity

b. The program evaluates VAD patients' perceptions of their quality of life at the following intervals: pre-implant and post-implant, at 3 months, at 6 months, then every 6 months for 2 years, and then annually.

c. The program utilizes an audited registry to monitor VAD data and measure outcomes.

Note: See the Glossary for the definition of audited registry.
