


Show me the Data – Diagnostic Imaging Standards Compliance... One Year Later

Based on review of final accreditation survey reports conducted between July 2015 through March 2016 for hospitals and ambulatory care organizations with diagnostic imaging


Posted on **AmBuzz** July 2016

Imaging Standards: *Most Frequent Areas of Non-compliance Across Programs* (Based on 9 months of data from 7/1/15 to 3/31/16) N=57




Areas of Non-compliance by Modality-MRI


(N=40)



Areas of Non-compliance by Modality-CT (N=17)




Diagnostic Imaging: Most Frequent Areas of Non-compliance Ambulatory Care




- Ferromagnetic items in MRI area
- Annual equipment eval not done-MRI
- Quality control logs incomplete -CT
- MRI access not restricted
- Emergency response -MRI
- Lack of required staff training -MRI
- CT protocols not reviewed or updated

MRI: Requirements for Improvement Ambulatory Care (N=9)




- Ferromagnetic items in MRI area
- MRI access not restricted
- Lack of required staff training -MRI
- Annual equipment eval not done-MRI
- Emergency response -MRI

MRI: Requirements for Improvement Hospitals (N=31)




- Lack of required MRI signage
- Ferromagnetic items in MRI area
- MRI access not restricted
- Lack of required staff training -MRI
- Quality control logs incomplete -MRI
- Patient positioning not verified -MRI

CT: Requirements for Improvement Hospitals (N=15)



- CT radiation dose not reviewed
- Lack of required staff training -CT
- CT protocols not reviewed or updated
- Patient positioning not verified -CT
- Annual equipment eval not done-CT
- Quality control logs incomplete -CT

CT: Requirements for Improvement Ambulatory Care (N=2)



- CT protocols not reviewed or updated
- Quality control logs incomplete -CT